

Flip Flop Wall Quilt

Quilt Designed by Lucy A. Fazely

Finished Quilt Approx. 45" x 45" - Finished Block Size: 9" x 9"

Flip Flop fabrics by Exclusively Quilters - Style #3990

Fabric Requirements:

- Based on 42" wide fabric
1/2 yard tropical flowers (#60810-8)
2/3 yard green flip flops (#60811-6)
2/3 yard black flip flops (#60811-8)
1/3 yard pink (#61231-1)
1/3 yard green (#61231-6)
1 yard orange (#61231-7)
1-1/4 yards black solid (#400-400-888 Black)
3-1/8 yards fabric for backing (#60810-8 suggested)
53" x 53" quilt batting, fusible web and tear-away stabilizer

An added 1/8 to 1/2 yard is added to all yardages to account for shrinkage, straightening, cutting errors and prints that may require special cutting to get the best results.
You should protect your investment in time and fabric by making sample blocks before cutting into your fabric because Exclusively Quilters will take no responsibility for replacing fabrics.
Shops who wish to kit this design are responsible for figuring yardage for their kits if they wish to reduce yardages.

Cutting Directions:

All measurements based on a 1/4" seam allowance.

From the **tropical floral** fabric:

Cut two 6-1/2" x 42" strips, recut into seven 6-1/2" squares

From the **green flip flop** print:

Cut one 6-1/2" x 42" strip, recut into three 6-1/2" squares

From the **black flip flop** print:

Cut one 6-1/2" x 42" strip, recut into three 6-1/2" squares and four 3-1/2" squares

From the **pink** and **green** prints, from each:

Cut one 2" x 42" strip, recut into three 2" x 6-1/2" and three 2" x 5" strips

From the **orange** print:

Cut two 11-1/2" strip, recut into twelve 6-1/2" x 11-1/2" rectangles

Cut one 2" x 42" strip, recut into three 2" x 6-1/2" and three 2" x 5" strips

From the **black solid**:


Cut four 3-1/2" x 42" strips for border

Cut five 2-1/2" x 42" strips for binding

Cut five 2" x 42" strips, recut into nine 2" x 9-1/2" strips, nine 2" x 8" and eighteen 2" squares

Sewing Directions:

1. Sew a 2" black solid square to ends of each pink, green and orange 2" x 6-1/2" and 2" x 5" strips.



2. Sew a green 2" x 5" strip with black square to side of a green flip flop 6-1/2" square. Add a green 2" x 6-1/2" strip with black square to block as shown. Sew a black solid 2" x 8" black strip then a black solid 2" x 9-1/2" strip as shown to finish a green block. Make a total of three green blocks (9-1/2" square unfinished).



3. In the same manner, make three orange blocks and three pink blocks.



Flip Flop Wall Quilt


4. Referring to color quilt image and Quilt Layout, arrange blocks in three rows of three blocks each. Sew blocks into rows. Sew rows together into quilt center (27-1/2" x 27-1/2" unfinished).

5. Trim two 3-1/2" x 42" black solid strips equal to the width of the quilt center, approximately 27-1/2". Sew 3-1/2" black flip flop squares to ends of both borders. Set aside. Sew remaining 3-1/2" x 42" black solid strips to right and left sides of quilt. Press and trim excess. Borders approximately 27-1/2" long. Add prepared top and bottom borders with black flip flop squares.

6. Trace Flip Flop Template on paper side of fusible web six times, leaving about 1/2" between tracings. Flip template over and trace *reverse* Flip Flop Template six more times. Trace Circle Template twelve times. Trace Right and Left Strap templates each six times, flip templates over then trace *reverse* straps six more times. Roughly cut out each tracing leaving about 1/4" around each shape.

7. Place six flip flop tracings web side down on wrong side of green flip flop fabric. Place six each Circle, Right Strap and Left Strap tracings web side down on wrong side of green print. Place *reverse* flip flop tracings web side down on wrong side of black flip flop fabric. Place six each Circle, *reverse* Right Strap and *reverse* Left Strap web side down on wrong side of pink print. Lightly fuse tracings to fabrics. Cut out each tracing along marked lines.

8. Arrange appliqué pieces centered on 6-1/2" x 11-1/2" orange rectangles as shown. Permanently fuse appliques to orange rectangles according to the web manufacturer's directions.



Make 6



Make 6

9. Line each appliqué block with tear-away stabilizer. Hand or machine stitch around all raw edges of appliqué pieces with an overcast stitch such as a hemming or satin stitch.

Finishing:

1. Sew the two lengths of backing together along selvage edges creating a two-panel wide backing. Layer the backing, batting and quilt top. Quilt or tie as desired.

2. Prepare binding from five 2-1/2" x 42" black solid strips. Sew strips together into one long binding strip. Press strip in half lengthwise.

3. Carefully trim backing and batting even with quilt top.


4. Leaving an 8" tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to 1/4" and press open. Finish sewing binding to quilt.

5. Turn binding to back of quilt and blind stitch in place.

Flip Flop Wall Quilt Layout



Flip Flop Wall Quilt Templates



This box is 2" square.
Measure the box. If it is
not 2" square, reduce or
enlarge the entire page
of templates until it is.

